Dimplex®

Built-in Fireplace39" Built-in Electric Firebox

BF39STP



BF Series fireboxes solve design challenges, add exceptional value, and look great doing it. Their exceptional versatility means they can be installed virtually anywhere, especially in locations and buildings that are impossible for a combustion fireplace. And as with all Dimplex fireplaces, The BF Series offer realism that continues to set the bar in the industry and ensures that everyone – from the designer and contractor, to homeowner – is happy with the results.



Built-in Fireplace

39" Built-in Electric Firebox



BF39STP

Realistic Logs

Logs molded from actual wood glow in concert with the flames creating the most realistic fireplace experience.

Primary Heating Option to use 240 volt supply for up to 9,200 BTU - use as part of primary heating plan.

Three-stage Remote Enjoy flames with half-heat, full-heat or flames only.

Wired, Seamless Design Designed for built-in installations wired directly to a dedicated circuit for a clean, custom appearance (Optional plug kit available).

Reduces Liability Ideal for public spaces in commercial installations; meets the strictest building codes.

Options Door kits, trim kits and control options available.

All-season Flames

Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.

S Economical Economical to operate costing only pennies per hour.*

Low Carbon Footprint The most sustainable fireplace option;

no emissions and 100% efficient.

Cool-touch Glass Glass remains cool making it safe for any location and any user.

* Based on national average residential electricity rate. Rates vary.

32-3/4" 83.0 cm 38-3/4" 98.3 cm

120 V | 1,440 W | 4,913 BTU 208 V | 2,100 W | 7,165 BTU 240 V | 2,700 W | 9,213 BTU

Note: please order remote control and/or wall thermostat.

Model #	Description	Lbs / Kg	UPC	Wty. [†]	Carton Dimensions (WxHxD)		Cube	
					Inches	cm	ft³	m³
BF39STP	39" built-in electric firebox	87 / 39.5	781052 045798		17-1/2 x 34-1/2 x 39	44.5 x 87.6 x 99.1	13.6	0.4
Optional Accessori	ies							
BFGLASS39BLK	Single pane, tamperproof glass door	17.5 / 8	781052 044630		38-1/4 x 24-3/4 x 3-1/4	97.3 x 63 x 8.4	1.8	0.05
BFSDOOR39BLK	Glass swing doors with black accents	17.0 / 7.7	781052 044609		19 x 3-1/4 x 24	48.3 x 8.3 x 61	0.9	0.02
BFDOOR39BLKSM	Single pane, bi-fold look glass door kit	18 / 8.2	781052 041257		38-1/4 x 24-3/4 x 3-1/4	97.3 x 63 x 8.4	1.8	0.05
BF4TRIM39	4 piece black decorative raised profile trim	6/2.7	781052 052956		43 x 4-1/4 x 2-1/2	109.2 x 10.8 x 6.4	0.26	0.00
BFRC-KIT	3-stage remote control kit	1.1 / 0.5	781052 040687		6 x 6 x 7	15.2 x 15.2 x 17.8	0.15	0.00
WRCPF-KIT	Wall switch remote control	1.5 / 0.7	781052 056787		6-3/8 x 5-1/2 x 3-1/4	16.2 x 14.1 x 8.1	0.07	0.00
BFPLUGE	Plug kit	0.6 / 0.3	781052 040748	1 yr.	6-3/4 x 6-1/2 x 6-3/4	17.1 x 16.5 x 17.1	0.16	0.00
TS521W	Wall thermostat - white	0.5 / 0.2	781052 042407		2-3/4 x 4-3/4 x 2	7.2 x 12.3 x 5.0	0.02	0.00

 $Specifications, finishes and dimensions are subject to change. \ ^{t}Limited \ warranty. \ @2019 \ Dimplex \ North \ America \ Limited.$



Built-in Fireplace

39" Built-in Electric Firebox

BF39STP

Accessories




BFGLASS39BLK

- Single pane, tamperproof glass door Dimensions: 35-5/8" W x 22-1/4" H x 1/2" D
- (90.5 cm x 56.5 cm x 1.4 cm)



BFDOOR39BLKSM

- Single pane, bi-fold look glass door kit
- 35-5/8" W x 22-1/2" H x 1-3/4" D (90.4 cm x 57.2 cm x 4.3 cm)



BFSDOOR39BLK

- Glass swing doors with black accents Dimensions:
- 35-1/2" W x 22-3/8" H x 1-3/4" D (90.0 cm x 56.7 cm x 4.3 cm)





BFRC-KIT - 3-stage remote control kit




WRCPF-KIT - Wall switch remote control




BFPLUGE - Plug kit



- Wall thermostat - white





Α	В	С		
16" (40.5 cm)	39" (99.1 cm)	32-7/8" (83.6 cm)		
D	E	F		