



GAS
STOVES



Enviro

HEARTH PRODUCTS



Designed to heat. Built to Last.

For over 30 years, unsurpassed quality and craftsmanship have made us an industry leader in innovative heating systems. Design, functionality, and efficiency merge to create exceptional products that will exceed all expectations. Whether time-honored traditional or bold and modern, our dynamic range of products will compliment any home décor. With a complete line of fireplace inserts, zero-clearance fireplaces, and freestanding stoves, we have the perfect solution for your heating requirements. We won't just meet your expectations; we'll exceed them...





Description

The Westport Steel Gas Stove is an affordable solution for a midsize to large living space. It offers the performance of the original Westport Cast Iron Gas Stove with a more modern design and steel outer construction. It's available in both Nova or IPI and can be vented top or rear, and is also compatible with a B vent.

Design Features

- Remote thermostat compatible
- Steel construction
- Ceramic log set
- Quick release glass door system
- Top vent / rear vent / B vent
- ClearView Safety Screen
- Optional 150 CFM fan
- Nova and IPI editions

Stove Specifications

BTU Maximum Input - NG	30,000 BTU		
Turn Down*	up to 50%		
Heating Area	1,700 ft ²		
P4 Efficiency	64.9%		
Glass Size	336 in ²		
Stove Dimensions	HEIGHT	WIDTH	DEPTH
	27½"	26¼"	19½"

* Turn down is based on Nova valve



Formed steel outer construction



High definition log set



Easy access controls



Description

As our entry level gas stove, the S20 is the perfect solution for a smaller to mid-size living room. Its modern design blends well with a variety of décor, and its small footprint offers greater versatility in placement. It's available in IPI and can be vented top or rear.

Design Features

- Field conversion kit NG to LP
- Thermostat or remote compatible
- Ceramic log set
- Charcoal fluted liner
- Top vent / rear vent convertible
- Heavy duty heat exchanger
- Easy access controls
- 150 CFM variable speed fan
- ClearView Safety Screen
- IPI Valve

Stove Specifications

BTU Maximum Input - NG	20,000 BTU		
Turn Down*	up to 33%		
Heating Area	1,100 ft ²		
P4 Efficiency	74.5%		
Glass Size	346 in ²		
Stove Dimensions	HEIGHT 33½"	WIDTH 24½"	DEPTH 18¾"



High definition log set



Steel fireplace grate



Modern steel construction



S50 with Pole Pedestal - Painted Metallic Black, River Rock & Twig Set, Fluted Liner



S50 with Wood Pedestal - Painted Metallic Black, Traditional Log Set, Steel Painted Liner



S50 with Suspended Installation Kit - Painted Metallic Black, Traditional Log Set, Steel Painted Liner



S50 with Pole Pedestal - Carrara White, Birch Log Set, Black Glass Liner

Description

Introducing the Enviro S50, the most elegant addition to our freestanding lineup. This sleek and modern design sports 180° of curved glass to show off its ultra high definition log set. Capable of both rear and top venting. The S50 also has multiple color and pedestal options to choose from.

Design Features

- Top vent / rear vent convertible
- Optional field conversion kit NG to LP
- Optional 70 CFM Circulation Fan available
- Optional Powder Coated Doors
- Optional Suspended Installation Kit

Options

- Color Options:**
- Painted Metallic Black
 - Powder Coated Carrara White
- Media Options:**
- Traditional or Birch Log Set
 - River Rock & Twig Set
 - Glass Media
- Liner Options:**
- Steel Painted Liner (Included)
 - Black Glass Liner
 - Fluted Liner
- Physical Options:**
- Pole Pedestal
 - Wood Pedestal
 - Suspended Installation Kit

Stove Specifications

BTU Maximum Input - NG	30,000 BTU
Turn Down	33%
Heating Area	1,500 ft ²
P4 Efficiency	68%
Glass Size H/W	19½" x 29" (567 in ²)
Stove Dimensions	HEIGHT 46"† WIDTH 20" DEPTH 20"

† Height includes a pedestal.



Carrara White Door
Birch Log Set
Fluted Liner

Radiant Red Door
Glass Media
Black Glass Liner

Sage Green Door
Traditional Log Set
Steel Painted Liner

Add a touch of
COLOR

Optional powder coated doors are available in these three colors to help you create an S50 gas stove that's uniquely yours.



Westley - Antique Bronze



Westley - Painted Black

Description

The Westley's European cast iron outer construction creates a traditional aesthetic with modern accents. What really sets the Westley apart is its 180° viewing angle giving plenty of exposure to the high definition log set and stainless steel burner. The Westley is available in both a matte black finish or an antique bronze.

Design Features

- European made castings
- 180° viewing angle
- Heavy duty heat exchanger
- B-vent compatible (IPI)
- 130 CFM variable speed fan
- ClearView Safety Screen
- Ultra HD log set
- True to life flame presentation
- Multiple Finishes:
 - Painted Black
 - Antique Bronze

Stove Specifications

BTU Maximum Input - NG	29,000 BTU		
Turn Down	33%		
Heating Area	1,500 ft ²		
P4 Efficiency	67%		
Glass Size	525 in ²		
Stove Dimensions	HEIGHT	WIDTH	DEPTH
	27½"	26¾"	19⅞"



8 Piece ultra high definition log set



European castings - Painted Black



Flame visible from three sides



Description

The Westport Cast Iron is one of our most popular freestanding gas stoves. Its traditional design and cast iron outer construction provide a classy appearance. The Westport Cast Iron Gas Stove is available in a painted black matte finish or an antique chestnut porcelain enameled finish. It can be vented top, rear, and is also compatible with a B vent.

Design Features

- Remote thermostat compatible
- Cast iron outer construction
- Ceramic log set
- Quick release glass door system
- Top vent / rear vent / B vent
- Safety screen
- Optional 150 CFM fan
- Nova and IPI editions
- Multiple Finishes:
 - Painted Black
 - Enameled Antique Chestnut

Stove Specifications

BTU Maximum Input - NG	30,000 BTU		
Turn Down*	up to 50%		
Heating Area	1,700 ft ²		
P4 Efficiency	64.9%		
Glass Size	336 in ²		
Stove Dimensions	HEIGHT 27½"	WIDTH 25¾"	DEPTH 19½"

* Turn down is based on Nova valve



Cast iron doors



High definition log set



Enameled antique chestnut finish



Description

The S40 Freestanding Gas Stove offers a maximum BTU output of 40,000 making it excellent at heating large living spaces. It has a modern design and a 5/16" steep plate top. Instead of a typical burner tube layout, the S40 uses a ceramic log burner that blends in with the rest of the log set to create a more realistic appearance.

Design Features

- Heavy duty heat exchanger
- Thermostat or remote compatible
- Ceramic log set and burner
- 5/16" steel plate top
- Ceramic charcoal fluted liner
- 150 CFM variable speed fan
- Optional B vent adaptor
- ClearView Safety Screen
- IPI

Stove Specifications

BTU Maximum Input - NG	40,000 BTU		
Turn Down	up to 33%		
Heating Area	2,000 ft ²		
P4 Efficiency	65.9%		
Glass Size	355 in ²		
Stove Dimensions	HEIGHT 28 ⁵ / ₁₆ "	WIDTH 26 ¹ / ₁₆ "	DEPTH 22 ⁷ / ₁₆ "



Modern design



Ceramic burner



Heavy duty heat exchanger



Berkeley - Enameled Antique Chestnut



Berkeley - Painted Black

Description

The Berkeley's European cast iron outer construction creates a traditional esthetic with modern accents. What really sets the Berkeley apart is its 180° viewing angle, providing plenty of exposure to the high definition log set and ceramic burner. The Berkeley is available in both a matte black finish and enameled antique chestnut.

Design Features

- European-made castings
- 180° viewing angle
- IPI edition
- Heavy duty heat exchanger
- Ceramic log set and burner
- 150 CFM variable speed fan
- ClearView Safety Screen
- Two Stage Burner
- Multiple Finishes:
 - Painted Black
 - Enameled Antique Chestnut

Stove Specifications

BTU Maximum Input - NG	40,000 BTU
Turn Down*	up to 67.5%
Heating Area	2,000 ft ²
P4 Efficiency	66.6%
Glass Size	724 in ²
Stove Dimensions	HEIGHT 30 ³ / ₄ " WIDTH 29 ⁵ / ₁₆ " DEPTH 22 ¹⁵ / ₁₆ "

* Turn down is based on IPI valve with front burner being turned off.



Flame visible from three sides



9 Piece ultra high definition log set



European castings - enameled antique chestnut

Gas Stove Specifications

Performance	S20 SMALL GAS STOVE	Westley CAST IRON GAS STOVE	S50 GAS STOVE	Westport CAST IRON / STEEL STOVE	S40 LARGE GAS STOVE	Berkeley CAST IRON GAS STOVE
BTU Maximum Input - NG	20,000 BTU	29,000 BTU	30,000 BTU	30,000 BTU	40,000 BTU	40,000 BTU
Turn Down Nova / IPI	33%	33%	33%	50% / 33%	33%	67.5%*
Construction	Steel	Cast Iron	-	Cast Iron / Steel	Steel	Cast Iron
Nova	N/A	N/A	Standard	Available	N/A	N/A
IPI	Standard	Standard	N/A	Available	Standard	Standard
Efficiency - Steady State**	76.2%	68.9%	-	71.3%	70.7%	69%
Efficiency - FE rating †	74.5%	67%	68%	64.9%	65.9%	66.6%
Glass Size	19¾" x 17½", 346 in ²	525 in ² (Front + Sides)	18½" x 19½", 567 in ²	16½" x 20¾", 336 in ²	16¾" x 21", 355 in ²	724 in ² (Front + Sides)
Finish	- Painted Black	- Painted Black - Antique Bronze	- Painted Black - PC Carrara White	- Painted Black - Enameled Antique Chestnut	- Painted Black	- Painted Black - Enameled Antique Chestnut

Installation	S20 SMALL GAS STOVE			Westley CAST IRON GAS STOVE			S50 GAS STOVE			Westport CAST IRON / STEEL STOVE			S40 LARGE GAS STOVE			Berkeley CAST IRON GAS STOVE		
Dimensions	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH
	33½"	24½"	18¾"	27½"	26¾"	19⅞"	46"	20"	20"	27½"	25¾"	19½"	28⅝"	26⅞"	22⅞"	30¼"	29⅝"	22⅝"
LP Conversion Kit (SP)	N/A			N/A			Included			Included			N/A			N/A		
LP Conversion Kit (IPI)	Optional			Optional			Optional			Optional			N/A			Optional		
Venting (Direct Vent)	4" x 6⅝"			4" x 6⅝"			4" x 6⅝"			4" x 6⅝"			4" x 6⅝"			4" x 6⅝"		
Venting Compatibility	Top / Rear			Top			Top / Rear			Top / Rear			Top			Top		
B Vent Compatibility	N/A			Yes			-			Yes			Yes			N/A		
Weight	225 lbs			190 lbs			150 lbs (Without Pedestal)			227 lbs / 117 lbs			275 lbs			295 lbs		
Convection Fan	Included			Included			Included			Optional			Included			Included		

* Berkeley IPI turn down based on front burner being turned off.

** Steady state rating based on conventional venting configuration.

† Based on the measured P.4-15 rating of the IPI model.

Specifications and measurements are subject to change. Please refer to owners manual for the most up to date and detailed product information.

Gas Stove Specifications

Clearance to Combustibles	S20 SMALL GAS STOVE	S50 GAS STOVE	Westley CAST IRON GAS STOVE	Westport CAST IRON / STEEL STOVE	S40 LARGE GAS STOVE	Berkeley CAST IRON GAS STOVE
Minimum distance to the stove's sides	8"	12"	10 ¼"	11"	11⅝"	12"
Minimum distance behind the stove	4"	3"	5"	2.5"	5"	5"
Minimum alcove height to top of stove	12"	16"	35"	32½"	28⅝"	27½"
Minimum distance corner to wall	3"	N/A	5"	2.5"	7.5"	7.5"
Center of vent to sidewall (at minimum corner)	15"	22"	15⅝"	12⅞"	17¾"	17¾"

The best way to visualize
your dream fireplace at home
is with the Enviro App!



Manufactured by Sherwood Industries Ltd • Victoria, BC, Canada
enviro.com • info@enviro.com • Printed in Canada, November 2022



Please share and
recycle this brochure