

Product overzicht

Vue d'ensemble des produits |
 Product overview |
 Panoramica dei prodotti

Fronthaarden (vervolg)

	Frame								Double burner			Line fire / energy efficiency class		Centre fire / energy efficiency class		MagniFire / energy efficiency class		Interior		Mood lighting (electrical illumination)		Weight		Burner decoration		Bellfires WiFi module		Output (kW)		Gas rate		Combustion system		Gas flue outlet / air supply		Ø (mm)	
	frameless	built-in frame	classic frame 35 mm	classic frame 52 mm	insert frame 15 mm	insert frame 50 mm	Hidden Door	Hidden Door +7 cm	Hidden Door +10 cm	Floating Frame	Premium fire / energy efficiency class	Line fire / energy efficiency class	Centre fire / energy efficiency class	MagniFire / energy efficiency class	steel panels	plain background	ceramic black mirror interior	industrial interior	standard	kg. approx.	wood logs	grey stones	white marble shingles	option	natural gas (min-max)	natural gas (m³/hr)	propane (gr/hr)	balanced flue	Ø (mm)								
Smart Bell 75/70		•	•	•	•					E¹					•	•			•	80	•			•	3-7	1,05		•	100-150								
Smart Bell 75/80	•	•	•	•	•					E¹					•	•			•	87	•			•	3-8	1,13		•	100-150								
Smart Bell 80/60		•	•	•	•							B			•	•			•	74	•			•	3-7	0,80	450	•	100-150								
Smart Bell 80/70		•	•	•	•					E¹					•	•			•	87	•			•	3-7	1,05		•	100-150								
Smart Bell 80/80		•	•	•	•					E¹					•	•			•	95	•			•	3-8	1,13		•	100-150								
Smart Bell 90/70		•	•	•	•					E¹					•	•			•	93	•			•	3-7	1,05		•	100-150								
Smart Bell 90/80		•	•	•	•					E¹					•	•			•	100	•			•	3-8	1,13		•	100-150								

Tweezijdige haarden

	Cadres								Double brûleurs			Classe d'efficacité énergétique		Classe d'efficacité énergétique		Classe d'efficacité énergétique		Classe d'efficacité énergétique		Intérieurs		Poids		Décorations de brûleur		Bellfires Module Wi-Fi		Puissance (KW)		Consommation		Système de combustion		Sortie de conduit de gaz		Ø (mm)	
	Sans cadre	Cadre encastrable	Cadre classique 35 mm	Cadre classique 52 mm	Cadre de profondeur 15 mm	Cadre de profondeur 50 mm	Hidden Door	Hidden Door +7 cm	Hidden Door +10 cm	Floating Frame	Premium Fire / energy efficiency class	Line Fire / energy efficiency class	Centre Fire / energy efficiency class	MagniFire / energy efficiency class	Lamelles en acier	Fond lisse	Miroir céramique noir	Industrial interior	Standard	kg	Porcelaine	Cailloux gris	Cailloux blancs	option	Gaz Naturel (min-max)	Gaz naturel (m³/hr)	Propane (gr/hr)	Ventouse	Ø (mm)								
Corner Bell Small							•			A	B	B		•	•	•		•²	82	•	•	•	•	•	2-7	1,10	670	•	100-150/130-200								
Corner Bell Medium							•				B	B		•	•	•			96	•	•	•	•	•	2-8	1,21	750	•	100-150/130-200								
Corner Bell Large							•				A	B		•	•	•			115	•	•	•	•	•	2-9	1,30	750	•	100-150/130-200								
Corner Bell XL							•				A	A		•	•	•			132	•	•	•	•	•	2-10	1,41	860	•	130-200								
Corner Bell XXL							•				A	A		•	•	•			180	•	•	•	•	•	2-10	1,41	860	•	130-200								
Corner Bell Derby							•			A	B	A		•	•	•			98	•	•	•	•	•	2-8	1,17	700	•	100-150/130-200								
Corner Bell Topsham							•			A	A	A		•	•	•			90	•	•	•	•	•	2-8	1,17	700	•	100-150/130-200								
Corner Bell York							•			A	B	A		•	•	•			98	•	•	•	•	•	2-8	1,17	700	•	100-150/130-200								

Type of gas ³	Type of gas ³
Gaz Naturel	natural gas
Propane	propane
Butane	butane
Calais de convection	Convection casing
Standard	standard
Option	option
Ventilateur de convection	Convection fan system
Option	option
Raccordement du conduit	Flue outlet
Concentrique	concentric

¹ Not possible with propane/ butane.

² Mood lighting comes standard when the appliance is equipped with a Premium Fire double burner or with a MagniFire double burner.

³ Type of gas and burner decoration influence flame appearance (height).

The technical values in this table are indicative, and may differ per country and gas pressure.
 For an exact representation please refer to the installation manual.

¹ Pas possible au propane/butane.

² L'éclairage d'ambiance est standard lorsque l'appareil est équipé d'un double brûleur Premium Fire ou MagniFire.

³ Le type de gaz et la décoration de brûleur influencent l'esthétique et la hauteur de la flamme.

Les valeurs techniques dans ce tableau sont indicatives et peuvent différer selon les pays et les pressions de gaz.
 Pour connaître sa valeur exacte, vous pouvez consulter le manuel d'installation.

Product overzicht

Vue d'ensemble des produits |
Product overview |
Panoramica dei prodotti

	Frame	Interior	Mood lighting (electrical illumination)	Weight	kg. approx.	Burner decoration	Ballfires WiFi module	Output (kW)	natural gas (min-max)	Gas rate	natural gas (m ³ /hr)	propane (gr/hr)	Combustion system	Gas flue outlet / air supply	Ø (mm)
Driezijdige haarden															
Smart Bell Panorama 45/45															
Smart Bell Panorama 45/59															
Smart Bell Panorama 73/52															
View Bell Small															
View Bell Medium															
View Bell Large															
View Bell XL															
View Bell XXL															
View Bell Derby															
View Bell Topsham															
View Bell York															
View Bell Vertical															
Room Dividers															
Room Divider Medium															
Room Divider Large															
Room Divider Medium links / rechts															
Room Divider Large links / rechts															
Tunnel haarden															
Horizon Bell Small Tunnel															
Horizon Bell Large Tunnel															
Vertical Bell Small Tunnel															
Vertical Bell Medium Tunnel															
Derby Large Tunnel															

Cadres

Sans cadre
Cadre encastrable
Cadre classique 35 mm
Cadre classique 52 mm
Cadre de profondeur 15 mm
Cadre de profondeur 50 mm
Hidden Door
Hidden Door +7 cm
Hidden Door +10 cm
Floating Frame

Double brûleurs

Premium Fire / energy efficiency class
Line Fire / energy efficiency class
Centre Fire / energy efficiency class
MagniFire / energy efficiency class

Intérieurs

Lamelles en acier
Fond lisse
Miroir céramique noir
Industrial interior

Éclairage d'ambiance

Standard

Poids

kg

Décorations de brûleur

Bûches céramiques
Cailloux gris
Cailloux blancs

Ballfires Module Wi-Fi

Option

Puissance (KW)

Gas Naturel (min-max)

Consommation

Gas naturel (m³/hr)

Propane (gr/hr)

Système de combustion

Ventouse

Sortie de conduit de gaz

Ø (mm)

Type de gaz ³

Gas Naturel
Propane
Butane

Caisse de convection

Standard
Option

Ventilateur de convection

Option

Raccordement du conduit

Concentrique

Type of gas ³

natural gas
propane
butane

Convection casing

standard
option

Convection fan system

option

Flue outlet

concentric

¹ Not possible with propane/ butane.
² Mood lighting comes standard when the appliance is equipped with a Premium Fire double burner or with a MagniFire double burner.
³ Type of gas and burner decoration influence flame appearance (height).

The technical values in this table are indicative, and may differ per country and gas pressure.
For an exact representation please refer to the installation manual.

¹ Pas possible au propane/butane.
² L'éclairage d'ambiance est standard lorsque l'appareil est équipé d'un double brûleur Premium Fire ou MagniFire.
³ Le type de gaz et la décoration de brûleur influencent l'esthétique et la hauteur de la flamme.

Les valeurs techniques dans ce tableau sont indicatives et peuvent différer selon les pays et les pressions de gaz.
Pour connaître sa valeur exacte, vous pouvez consulter le manuel d'installation.