

MONTIGO[®] DIVINE MULTI SIDED

DIVINE / PROUDLY HANDCRAFTED IN NORTH AMERICA

H38FSD

H42FSD

H38PF

HL38PF

H38PR

HL38PR

H38CL/CR

HL38CL/CR



DIVINE / LEGACY H SERIES

DIVINE
MULTI SIDED

A NEW DIMENSION

H38FSD
H42FSD

SEE THROUGH
DIRECT VENT

QUICK DIMENSIONS

	H38FSD*		H42FSD*	
	UNIT	FRAM.	UNIT	FRAM.
F.WIDTH	39 ⁵ / ₁₆	40 ³ / ₄	43 ⁵ / ₁₆	45
B.WIDTH	39 ⁵ / ₁₆	40 ³ / ₄	43 ⁵ / ₁₆	45
HEIGHT	40 ⁹ / ₁₆	42 ¹ / ₂	44 ³ / ₈	49 ¹ / ₂
DEPTH	24 ¹ / ₂	23 ³ / ₄	24 ¹ / ₂	24
VIEWING	35 ¹ / ₄ × 26 ³ / ₈		39 ³ / ₈ × 30 ³ / ₈	

DIVINE FSD TRADITIONAL

Standard

Traditional burner
and logset
Heritage brick liner
Wrought iron grate
Manual Hi-Lo
flame control

Options

Multi-function
remote control
Wall remote
Battery backup
Fans
Surrounds in satin black
or stainless steel
WiFi phone app control

DIVINE FSD CONTEMPORARY KIT

Standard

Contemporary burner
Manual Hi-Lo
flame control

Options

Glass media
Multi-function
remote control
Wall remote
Battery backup
Fans
Surrounds in satin black
or stainless steel
WiFi phone app control

BTU LISTING

H38FSDN / 34,000
H38FSDNI / 34,000
H38FSDL / 32,000
H38FSDLI / 32,000

H42FSDN / 37,000
H42FSDNI / 37,000
H42FSDL / 37,000
H42FSDLI / 37,000

EFFICIENCY (FE)

H38FSDN / 57.5%
H38FSDNI / 58.5%
H38FSDL / 57.5%
H38FSDLI / 58.5%

H42FSDN / 66%
H42FSDNI / 68.3%
H42FSDL / 66%
H42FSDLI / 68.3%






MONTIGO / STAINLESS SURROUND



MONTIGO / SATIN BLACK SURROUND

DIVINE FSD DIMENSIONS



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
H38FSD	37 $\frac{3}{4}$	35 $\frac{1}{4}$	39 $\frac{5}{16}$	26 $\frac{3}{8}$	24 $\frac{1}{2}$	24	12	6 $\frac{7}{8}$	43 $\frac{3}{16}$	36 $\frac{1}{2}$	37 $\frac{5}{16}$	33 $\frac{3}{16}$	40 $\frac{9}{16}$	3 $\frac{3}{8}$	8 $\frac{5}{8}$	7 $\frac{3}{8}$	3
H42FSD	42	39 $\frac{3}{8}$	43 $\frac{3}{16}$	30 $\frac{3}{8}$	24 $\frac{1}{2}$	24	12	6 $\frac{7}{8}$	46 $\frac{15}{16}$	40 $\frac{1}{2}$	41 $\frac{1}{16}$	37 $\frac{3}{8}$	44 $\frac{3}{8}$	3 $\frac{3}{8}$	8 $\frac{5}{8}$	7 $\frac{3}{8}$	3



MONTIGO / DIVINE / H38FSDNI / TRADITIONAL LOGSET



MONTIGO / DIVINE / H42FSDNI / TRADITIONAL LOGSET




REMOTE+
RX200**



WALL REMOTE+
EC1550



WIFI PHONE APP
CONTROL
SIT-WIFI!



HERITAGE^A

^A Standard on H38FSD¹, H42FSD¹
¹Proflame 2 units only



DIVINE
MULTI SIDED

CORNERING THE MARKET

H38CL/CR

CORNER
DIRECT VENT

QUICK DIMENSIONS

	H38CL/CR	
	UNIT	FRAM.
F.WIDTH	43 ⁹ / ₁₆	42
B.WIDTH	28 ¹ / ₈	42
HEIGHT	41 ⁵ / ₁₆	46 ¹ / ₂
DEPTH	20 ³ / ₈	21 ⁵ / ₈
VIEWING	39 ¹ / ₂ × 28 ³ / ₄	

DIVINE CL/CR CONTEMPORARY

Standard

Contemporary burner with
Ice fireglass
Remote Hi-Lo flame control
Multi-function
remote control
Micro mesh screen
Battery backup

Options

Glass media
Wall remote
WiFi phone app control

DIVINE CL/CR TRADITIONAL

Standard

Traditional burner
and logset
Heritage brick liner
Wrought iron grate
Remote Hi-Lo flame control
Multi-function
remote control
Micro mesh screen
Battery backup

Options

Wall remote
WiFi phone app control

BTU LISTING

H38C*NI-2 / 34,000 BTU
H38C*LI-2 / 32,000 BTU


HL38C*NI-2 / 34,000 BTU
HL38C*LI-2 / 32,000 BTU

EFFICIENCY (FE)

H38C*NI-2 / 58.5%
H38C*LI-2 / 58.5%

HL38C*NI-2 / 58.5%
HL38C*LI-2 / 58.5%

DIVINE CL/CR DIMENSIONS



	A	B	C	D	E	F	G	H	I	J	K	L	M	N
H38C*	39 ³ / ₁₆	42 ³ / ₁₆	39 ³ / ₈	4	24 ¹³ / ₁₆	6	20 ³ / ₈	7	24 ¹ / ₄	25 ³ / ₈	22 ¹ / ₄	33 ¹ / ₄	37 ¹ / ₁₆	14 ³ / ₁₆


MONTIGO / DIVINE / HL38CRNI-2 / EBONY FIREBEADS




REMOTE^Δ
RX200**



WALL REMOTE
EC1550



WIFI PHONE APP
CONTROL
SIT-WIFI†



HERITAGE†

^Δ Standard on all corner units
[†] Standard on H38C**I-2



DIVINE
MULTI SIDED

ROOM DIVIDER

DIVINE / PROUDLY HANDCRAFTED IN NORTH AMERICA

H38PF

PIER
DIRECT VENT

DIVINE PIER CONTEMPORARY

Standard

Contemporary burner with
Ice fireglass
Remote Hi-Lo flame
Multi-function
remote control
Micro mesh screen
Battery backup

Options

Glass media
Wall remote
WiFi phone app control

DIVINE PIER TRADITIONAL

Standard

Traditional burner
and logset
Heritage brick liner
Wrought iron grate
Remote Hi-Lo flame
Multi-function
remote control
Micro mesh screen
Battery backup

Options

Wall remote
WiFi phone app control

QUICK DIMENSIONS

	H38PF	
	UNIT	FRAM.
F.WIDTH	43 $\frac{3}{16}$	42
B.WIDTH	28 $\frac{1}{8}$	42
HEIGHT	41 $\frac{5}{16}$	46 $\frac{1}{2}$
DEPTH	20 $\frac{3}{8}$	21 $\frac{5}{8}$
VIEWING	39 $\frac{1}{2}$ x	28 $\frac{3}{4}$

BTU LISTING

H38PFNI-2 / 34,000 BTU
H38PFNI-2 / 32,000 BTU

HL38PFNI-2 / 34,000 BTU
HL38PFNI-2 / 32,000 BTU


EFFICIENCY (FE)

H38PFNI-2 / 58.5%
H38PFNI-2 / 58.5%

HL38PFNI-2 / 58.5%
HL38PFNI-2 / 58.5%



DIVINE PIER DIMENSIONS



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
H38PRC	44 ⁹ / ₁₆	23 ³ / ₈	8 ⁵ / ₈	41 ¹ / ₁₆	39 ⁹ / ₁₆	42 ¹ / ₂	38 ¹ / ₂	4 ⁷ / ₈	25 ¹ / ₁₆	9 ³ / ₄	1 ¹ / ₁₆	33	3 ¹ / ₁₆	25	8 ¹ / ₂	7 ⁵ / ₁₆	3 ¹ / ₁₆

MONTIGO / DIVINE / H38PENI / TRADITIONAL LOGSET




REMOTE^Δ
RX200**



WALL REMOTE
EC1550



WIFI PHONE APP
CONTROL
SIT-WIFI[†]



HERITAGE[†]

^Δ Standard on all pier units
[†] Standard on H38PF[†]-1-2

DIVINE
MULTI SIDED

180° OF BEAUTY

H38PR

BAY
DIRECT VENT

**DIVINE BAY
CONTEMPORARY**

Standard

Contemporary burner with
Ice fireglass
Remote Hi-Lo flame
Multi-function
remote control
Micro mesh screen
Battery backup

Options

Glass media
Wall remote
WiFi phone app control

**DIVINE BAY
TRADITIONAL**

Standard

Traditional burner
and logset
Wrought iron grate
Heritage brick liner
Remote Hi-Lo flame
Multi-function
remote control
Micro mesh screen
Battery backup

Options

Wall remote
WiFi phone app control

QUICK DIMENSIONS

	H38PR	
	UNIT	FRAM.
F.WIDTH	42 ¹³ / ₁₆	41
B.WIDTH	42 ¹³ / ₁₆	41
HEIGHT	42 ⁷ / ₈	44
DEPTH	26 ¹ / ₄	23 ³ / ₄
VIEWING	32 ¹ / ₈ × 24 ³ / ₄	

BTU LISTING

H38PRNI-2 / 34,000 BTU
H38PRLI-2 / 32,000 BTU


HL38PRNI-2 / 34,000 BTU
HL38PRLI-2 / 32,000 BTU

EFFICIENCY (FE)

H38PRNI-2 / 58.5%
H38PRLI-2 / 58.5%

HL38PRNI-2 / 58.5%
HL38PRLI-2 / 58.5%

DIVINE BAY DIMENSIONS



	A	B	C	D	E	F	G	H	I	J	K	L	M	N
H38PRC	42 ¹³ / ₁₆	17 ⁵ / ₁₆	20 ⁷ / ₁₆	26 ⁹ / ₁₆	42 ⁷ / ₈	32 ¹ / ₈	36 ³ / ₁₆	24 ³ / ₄	39 ⁹ / ₈	26 ¹ / ₄	16 ⁵ / ₁₆	33 ³ / ₈	14 ³ / ₁₆	3 ³ / ₈




OPTIONS & FEATURES



REMOTE^Δ
RX200**



WALL REMOTE
EC1550



WIFI PHONE APP
CONTROL
SIT-WIFI[†]



HERITAGE[†]

^Δ Standard on all bay units
[†] Standard on H38PR[†]I-2

COPPER
HW1143

ICE
HW1157

PLATINUM
HW1144

OBSIDIAN
HW1113

AMBER
HW1261

GLACIER
HW1219B

ALABASTER
HW1260

ONYX
HW1259

MEDIA

FROST
HW1112

EBONY
HW1091

QUARTZ
HW1106

Unit Specifications

ICON LEGEND

AVAILABLE

+

NOT AVAILABLE

-


DEDICATED

◊


STANDARD

◊


PIER FRAMING



BAY FRAMING




CORNER FRAMING



NON COMBUSTIBLE STUD INCLUDED WITH UNIT

Approximate dimensions to center. For best results mount noncombustible stud onto unit, then bolt to 2x4 header and floor.

SEE THROUGH FRAMING



	A	B	C	D
H38FSD	40 3/4"	42 1/2"	N/A	23 3/4"
H42FSD	45"	49 1/2"	46 1/2"	24"

NON COMBUSTIBLE STUD INCLUDED WITH UNIT - NOT NEEDED FOR H38FSD

	BTU NATURAL GAS	BTU LIQUID PROPANE	VENTING	CLEARANCE TOP - REAR VENT	CLEARANCE TOP - TOP VENT	CLEARANCE SIDES	CLEARANCE BACK	CLEARANCE FLOOR	FRONT VIEWING AREA	FRONT GLASS TYPE	STANDARD MEDIA	MICRO MESH	POWERVENT	REMOTE CONTROL	FANS	UPLIGHTING	DOWNLIGHTING
H38FSD*	34,000	32,000	5"/8"	9	17 1/2	1	2	0	35 3/4"X 26 3/4"	TEMPERED	TRADITIONAL	◊	+	+	+	-	-
H38FSD*I	34,000	32,000	5"/8"	9	17 1/2	1	2	0	35 3/4"X 26 3/4"	TEMPERED	TRADITIONAL	◊	+	+	+	-	-
H42FSD*	37,000	37,000	5"/8"	9	17 1/2	1	2	0	39 3/4"X 30 3/4"	TEMPERED	TRADITIONAL	◊	+	+	+	-	-
H42FSD*I	37,000	37,000	5"/8"	9	17 1/2	1	1	0	39 3/4"X 30 3/4"	TEMPERED	TRADITIONAL	◊	+	+	+	-	-
H38PF*I-2	34,000	32,000	5"/8"	9	17 1/2	1	1	0	32 1/2"X 21 1/2"	TEMPERED	TRADITIONAL	◊	+	◊	-	-	-
HL38PF*I-2	34,000	32,000	5"/8"	9	17 1/2	1	1	0	32 1/2"X 21 1/2"	TEMPERED	HW1157	◊	+	◊	-	-	-
H38PR*I-2	34,000	32,000	5"/8"	9	17 1/2	1	1	0	32 1/2"X 24 3/4"	TEMPERED	TRADITIONAL	◊	+	◊	-	-	-
HL38PR*I-2	34,000	32,000	5"/8"	9	17 1/2	1	1	0	32 1/2"X 24 3/4"	TEMPERED	HW1157	◊	+	◊	-	-	-
H38CL*I-2	34,000	32,000	5"/8"	9	17 1/2	1	1	0	32 1/2"X 24 3/4"	TEMPERED	TRADITIONAL	◊	+	◊	-	-	-
HL38CL*I-2	34,000	32,000	5"/8"	9	17 1/2	1	1	0	32 1/2"X 24 3/4"	TEMPERED	HW1157	◊	+	◊	-	-	-
H38CR*I-2	34,000	32,000	5"/8"	9	17 1/2	1	1	0	32 1/2"X 24 3/4"	TEMPERED	TRADITIONAL	◊	+	◊	-	-	-
HL38CR*I-2	34,000	32,000	5"/8"	9	17 1/2	1	1	0	32 1/2"X 24 3/4"	TEMPERED	HW1157	◊	+	◊	-	-	-

1976: The Days Before Gas Fireplaces

In 1976, Montigo president and founder, Dan Binzer, started installing zero-clearance wood burning fireplaces for local builders in Vancouver, BC. Over the years, demand grew for a gas alternative, and Dan engineered and manufactured the first ever sandpan logset. The logset was installed in a zero-clearance wood burning fireplaces shell, resulting in one of the first zero-clearance gas fireplaces on the market.

1985: Gas Fireplace Manufacturing Begins

Demand for gas grew rapidly, especially among multi-unit developments so Dan Binzer started a company called Canadian Heating that would offer full service design, engineering and manufacturing for gas fireplaces. Under the Montigo brand, Canadian Heating began manufacturing and selling a wide selection of zero-clearance gas fireplaces throughout Canada and in 1985 development began for the latest and greatest in gas fireplace technology – direct venting.

1994: Manufacturing Excellence is Achieved

Development and advancement of the gas fireplace continued over the years with continual developments to improve the efficiency of the fireplaces and perfected manufacturing processes to deliver an optimum fireplace each and every time – even for completely custom units.

Present: Leading the Way with Modern Fireplace Design

As one of the first to bring a linear designed fireplace to market, Montigo now offers the largest selection of linear fireplaces demanded by designers, architects and homeowners wanting to create a modern and contemporary space and homeowners wanting to create a modern and contemporary space.



WARNING

Some materials used in the manufacturing process of this product can expose you to Benzene which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65warnings.ca.gov

for more inspiration go to
www.montigo.com

MONTIGO[®]
the art of **fireplaces**



Our Guarantee

Montigo[®] stands behind the craftsmanship and durability of our products by providing a 15 year warranty on the burner and firebox in all our residential fireplaces.



Printed in Canada

XB2215